




bendywood®

**THE BENDING WOOD WITHOUT STEAM
IS FIRST MACHINED AND THAN BENT !**

CATALOGUE/PRICE LIST 07/2025 – 12/2026

- HANDRAILS + PROFILES**
- RAW MATERIAL**



Do you need advice for a specific project?
Contact our offices for a free feasibility check (drafts suffice).

IMPORTANT: bending instructions + application examples
are available at www.bendywood.com

WHAT IS BENDYWOOD®?



Bendywood® is bending wood without steam that has become flexible thanks to a special production process. It can be worked like normal wood and subsequently bent **in a cold (no heating) and dry (no steaming) condition.**

Bendywood® is bendable forever and can be stored like normal wood.

There is no difference in appearance between Bendywood® and normal wood.



Bendywood® is produced in an entirely natural way, **without the use of chemicals.**

Wood blocks are steamed, compressed in length, and dried in the compressed length.

Bending-resistant lengths up to 12 m are produced using special joints.

Here is an example of a handrail with a length of 11.7 m in one piece:
[Bendywood handrail 11,7m long in one piece pre-bent](#)

Bendywood® is available in **beech, oak, maple, ash, cherry and walnut.**

Bendywood® can be bent up to a radius of 1 : 10, for example thickness 10 mm to radius 100 mm.

Bendywood® is worked in straight condition first and then bent.

**DO NOT USE BENDYWOOD® OUTDOORS,
AS BENDYWOOD® IS NOT WATERPROOF.**

PRE-BENT HANDRAILS

The handrails can also be delivered pre-bent.

This saves you the trouble of bending them yourself and constructing bending templates.

The special bending properties of Bendywood® make it possible:


- It can be bent over by 30%-50%



- It is therefore not necessary to pre-bend it precisely

and

- This means that even **excess lengths** can be bent for shipping.



Examples are documented on www.bendywood.com



Prices upon request!


Bendywood® - Custom - Applications

Lengths up to 20.0m Oak Ø42mm



Italy


Lengths up to 15.0m Maple ø40mm



USA


More pictures with installation reports can be found under www.bendywood.com
Click on: **Curved handrails - Examples**

Lengths up to 6.6m Oak 60x40



Dolce Gabbana | Italy

Lengths up to 16.0m Oak Ø48mm







Monte Carlo

SHORT RADIUS HANDRAIL PARTS FROM BENDYWOOD® LAMELLAS

For small batches and prototypes, made to your specifications and supplied ready for assembly:

- angles with $R = 55 \text{ mm+}$;
- initial + end bows
- connecting bows;
- curves with bending radii smaller than 1:20
e.g. a handrail with a diameter of 40 mm bent to R500 mm

Below please find a few **examples** of bent handrail parts in Bendywood®:



Wood species: beech, maple, ash, red oak, oak, American cherry, walnut, American walnut.

Diameter: from $\varnothing 30 \text{ mm}$ to $\varnothing 48 \text{ mm}$, in beech, maple and walnut to $\varnothing 55 \text{ mm}$.

Further examples can be found on the Bendywood® portal: www.bendywood.com under "Curves with tight radii"

Prices available on request

SALES CONDITIONS

VAT:

Prices are indicated without value added tax (VAT).

If no valid VAT number can be provided, the Italian VAT of 22% will be applied to these prices.

MINIMUM ORDER VALUE:

Minimum order value = 150 euros (merchandise value);

For smaller orders service charges will be invoiced:

- 40 euros for orders between 100 euros - 150 euros
- 60 euros for orders smaller than 100 euros

PAYMENT:

- Payment in advance (bank transfer).
- Open accounts only upon approval.
- According to art. 1470 and 1509 of the Italian Civil Code the goods remain property of Candidus Prugger Sas until they are fully paid.

DELIVERY TERMS:

- Prices are „ex works“ (EXW) or with a transport agent of our choice (upon approval of quotation, the freight costs are invoiced).

DEPOSITS:

- Orders for modified items will require a 50% deposit.

RETURN POLICY:

- No returns accepted on customized items.
- 30 days return policy strictly enforced.
- 15% restocking charge will apply on all returns.
- No returns accepted on material that has been worked or altered in any way.
- All returns must be properly packaged and items will be inspected upon return before a credit will be issued.
- No credit will be given on unauthorized returns.

BENDING STAIR HANDRAILS

1. BENDYWOOD® ROUND HANDRAILS WITH NORMAL JOINTS for bending




Normal Joints

→ ATTENTION: the bending handrails with normal joints CANNOT be bent with a ring rolling bending machine.

Wood species: beech, ash, oak, maple, cherry, walnut


Lengths: 200, 360, 500 and 600 cm (on request up to 12 m – in pairs)

Intermediate lengths can be supplied without surcharge, but always need to be ordered in pairs.



ADDITIONAL COSTS UPON REQUEST

Can also be supplied **cut in half**, as **half-round profiles** and with **flattening** or **groove/plow**.
Also available with **matching bending moulds**.




ATTENTION:
In case of a **profound groove/plow** and a **bending radius close to the limit**, the use of diagonally jointed handrails is recommended!

Code	Size (mm) diameter	Bendable to a radius of:	Beech €/m.	Beech for painting and dark staining €/m.	Ash Red Oak Dark White Oak €/m.	Maple White Oak American Cherry €/m.	Walnut €/m.	American Walnut €/m.
NEW-P-30	Ø30	600 mm	✓	✓	✓	✓	✓	✓
NEW-P-40	Ø40	800 mm	✓	✓	✓	✓	✓	✓
NEW-P-42	Ø42	840 mm	✓	✓	✓	✓	✓	✓
NEW-P-45	Ø45	900 mm	✓	✓	✓	✓	✓	✓
	(*) in 2 halves	450 mm						
NEW-P-48	Ø48	960 mm	✓	✓	✓	✓	✓	✓
	(*) in 2 halves	480 mm						
NEW-P-55	Ø55	1.200 mm	✓	✓	-	-	-	-
	(*) in 2 halves	600 mm						

On request all handrail diameters from Ø 20 mm up to Ø 48 mm can be supplied.

Individually packed in cardboard tubes, **ready to be bent with about 12% moisture content**.

2. BENDYWOOD® SQUARE-EDGED RAW BARS WITH NORMAL JOINTS for bending



Normal Joints

→ **ATTENTION: the bending handrails with normal joints CANNOT be bent with a ring rolling bending machine.**

Wood species: beech, ash, oak, maple, cherry, walnut

Lengths: 200, 360, 500 and 600 cm (on request up to 12 m – in pairs)


Intermediate lengths can be supplied without surcharge, but always need to be ordered in pairs.

Raw bars **with about 8% moisture content, for the purpose of profile milling**. Packed in cardboard and ready to be machined.

ATTENTION:


In case a **flat profile** needs to be bent **close to the limit**, the use of diagonally jointed handrails is recommended!

A)



ADDITIONAL COSTS UPON REQUEST


B) **OPTION:** Can also be supplied **planed (4 sides)** with **groove/plow**, **chamfered** or **rounded edges** with **radius 3 mm, 5 mm or 10 mm** with **12% moisture**



ATTENTION:
In case of a **profound groove/plow** and a **bending radius close to the limit**, the use of diagonally jointed handrails is recommended!

Code	Size (mm)	Bendable to a radius of:	Beech	Beech for painting and dark staining	Ash Red Oak	Maple White Oak American Cherry	Walnut	American Walnut
			€/m.	€/m.	€/m.	€/m.	€/m.	€/m.
NEW-50x50	ca. 50x50	1 : 20	✓	✓	✓	✓	✓	✓
NEW-80x50	ca. 80x50	1 : 20						
	(*) cut in half	1 : 10	✓	✓	-	-		
NEW-100x50	ca. 100x50	1 : 20						
	(*) cut in half	1 : 10	✓	✓	✓	✓	✓	✓
NEW-60x60	ca. 60x60	1 : 20						
	(*) cut in half	1 : 10	✓	✓	-	-		

3. BENDYWOOD® ROUND HANDRAILS WITH DIAGONAL JOINTS FOR BENDING WITH RING ROLLING BENDING MACHINE




Diagonal Joints

Bendable up to a radius of 1 : 20 at about 12% moisture content
i.e. a 40 mm thick handrail up to a radius of 800 mm.


Wood species: beech, ash, oak, maple, cherry, walnut

Lengths: up to 12.0 m in one piece, according to your requirements



ADDITIONAL COSTS UPON REQUEST


Can also be supplied as **half-round profiles** and with **flattening** or **groove/plow**.



Code	Size (mm) diameter	Bendable to a radius of:	Beech €/m.	Ash Red Oak Dark White Oak €/m.	Maple White Oak American Cherry €/m.	Walnut €/m.	American Walnut €/m.
P-40	Ø40	800 mm	✓	✓	✓	✓	✓
P-42	Ø42	840 mm	✓	✓	✓	✓	✓
P-45	Ø45	900 mm	✓	✓	✓	✓	✓
P-48	Ø48	960 mm	✓	✓	✓	✓	✓
P-55	Ø55	1.200 mm	✓	-	-	-	-

Individually packed in cardboard tubes, **ready to be bent with about 12% moisture content**.
The handrails should only be unpacked just before you start bending.

4. BENDYWOOD® SQUARE-EDGED RAW BARS WITH DIAGONAL JOINTS FOR BENDING WITH RING ROLLING BENDING MACHINE




Diagonal Joints

Bendable up to a radius of 1 : 20 at about 12% moisture content
i.e. a 50x50 mm thick handrail up to a radius of 1.000 mm.

Wood species: beech, ash, oak, maple, cherry, walnut


Lengths: up to 12.0 m in one piece, according to your requirements

A) Raw bars **with about 8% moisture content, for the purpose of profile milling.**
Packed in cardboard and ready to be machined.



ADDITIONAL COSTS UPON REQUEST

B) **OPTION:** Can also be supplied **planed (4 sides)** with **groove/plow, chamfered or rounded edges** with **radius 3 mm, 5 mm or 10 mm** with **12% moisture**.



Code	Size (mm)	Bendable to a radius of:	Beech €/m.	Ash Red Oak Dark White Oak €/m.	Maple White Oak American Cherry €/m.	Walnut €/m.	American Walnut €/m.
REC-50x50	ca.50x50	1 : 20	✓	✓	✓	✓	✓
REC-80x50	ca.80x50	1 : 20					
	(*) cut in half	1 : 10	✓	-	-		
REC-100x50	ca.100x50	1 : 20					
	(*) cut in half	1 : 10	✓	✓	✓	✓	✓
REC-60x60	ca. 60x60	1 : 20					
	(*) cut in half	1 : 10	✓	-	-		


5. BENDYWOOD® OMEGA HANDRAILS
in 2 halves with feather joint



PROFILE P-6010 - 57x60mm


Available with custom groove, can be bent up to R600 mm

Lengths: up to 600 cm



Available with matching negative profiles

PROFILE P-6010/RH - 57x40mm



Available with matching negative profiles

Code	Size (mm) width x height	Bendable to a radius of:	Beech €/m.	Beech for painting and dark staining €/m.
P-6010 in 2 halves with tongue	57x60	600 mm	✓	✓
P-6010/RH in 2 halves with tongue	57x40	600 mm	✓	✓


Matching bending mould: in Bendywood®	€/m.
	✓

Packed in cardboard tubes, **ready to be bent with about 12% moisture content**.
The handrails should only be unpacked just before you start bending.


PROFILE P-6210 – 67x60mm

Available with custom groove, can be bent up to R700 mm

Lengths: up to 600 cm



PROFILE P-6210/RH - 67x40mm



Code	Size (mm) width x height	Bendable to a radius of:	Beech €/m.	Beech for painting and dark staining €/m.
P-6210 in 2 halves with tongue	67x60	700 mm	✓	✓
P-6210/RH in 2 halves with tongue	67x40	700 mm	✓	✓

Matching bending mould:	€/m.
in Bendywood®	✓

Packed in cardboard tubes, **ready to be bent with about 12% moisture content**.
The handrails should only be unpacked just before you start bending.


6. BENDYWOOD® OVAL HANDRAILS in 2 halves with feather joint



PROFILE P-6040 – 60x40mm


Available with custom groove, can be bent up to R600 mm

Lengths: up to 600 cm



PROFILE P-7045 – 70x45mm

Available with custom groove, can be bent up to R700 mm




Code	Size (mm) width x height	Bendable to a radius of:	Beech €/m.	Beech for painting and dark staining €/m.
P-6040 in 2 halves with tongue	60x40	600 mm	✓	✓
P-7045 in 2 halves with tongue	70x45	700 mm	✓	✓

Matching bending mould: in Bendywood®	€/Mt.
	✓

Packaged in cardboard tubes, ready for bending with approx. 12% wood moisture content.
Only remove the handrails from the packaging when you are ready to start bending.

BENDYWOOD® - RAW WOOD

BKH




HALF BLANKS

ca. 6x12 cm

Code	Size (mm) width x height x length	Ash	Maple	American	Walnut	American
		Red Oak €/pc.	Oak €/pc.	Cherry €/pc.	Walnut €/pc.	Walnut €/pc.
BKH40	ca.120x60x400	✓	✓	-	-	✓
BKH50	ca.120x60x500	✓	✓	-	-	✓
BKH60	ca.120x60x600	✓	✓	-	✓	✓
BKH70	ca.120x60x700	✓	✓	-	✓	✓
BKH80	ca.120x60x800	✓	✓	-	✓	✓
BKH90	ca.120x60x900	✓	✓	-	✓	✓
BKH100	ca.120x60x1000	✓	✓	✓	-	✓
BKH110	ca.120x60x1100	✓	✓	✓	-	✓
BKH130	ca.120x60x1300	✓	✓	-	-	-
BKH150	ca.120x60x1500	✓	✓	-	-	-

BKG




LARGE BLANKS

ca. 12x12 cm

Code	Size (mm) width x height x length	Beech	
			€/pc.
BKG80	ca.120x120x800		-
BKG90	ca.120x120x900		-
BKG100	ca.120x120x1000		-
BKG110	ca.120x120x1100		✓
BKG130	ca.120x120x1300		✓
BKG150	ca.120x120x1500		✓
BKG165	ca.120x120x1650		✓

REC



BENDYWOOD® STRIPS BEECH

(100 mm wide in lengths up to 2.0 m)

4-sides fine saw-cut


Bendable up to a radius of 1 : 10

i.e. a 10 mm thick strip can be bent up to a radius of 100 mm

Code	Size (mm) width x height x length	Beech €/m.
REC-3/110	100x3x1100	✓
REC-3/130	100x3x1300	✓
REC-3/150	100x3x1500	✓
REC-3/165	100x3x1650	✓
REC-3/200	100x3x2000	✓
REC-5/110	100x5x1100	✓
REC-5/130	100x5x1300	✓
REC-5/150	100x5x1500	✓
REC-5/165	100x5x1650	✓
REC-5/200	100x5x2000	✓
REC-8/110	100x8x1100	✓
REC-8/130	100x8x1300	✓
REC-8/150	100x8x1500	✓
REC-8/165	100x8x1650	✓
REC-8/200	100x8x2000	✓
REC-10/110	100x10x1100	✓
REC-10/130	100x10x1300	✓
REC-10/150	100x10x1500	✓
REC-10/165	100x10x1650	✓
REC-10/200	100x10x2000	✓
REC-15/110	100x15x1100	✓
REC-15/130	100x15x1300	✓
REC-15/150	100x15x1500	✓
REC-15/165	100x15x1650	✓
REC-15/200	100x15x2000	✓
REC-20/110	100x20x1100	✓
REC-20/130	100x20x1300	✓
REC-20/150	100x20x1500	✓
REC-20/165	100x20x1650	✓
REC-20/200	100x20x2000	✓
REC-26/110	100x26x1100	✓
REC-26/130	100x26x1300	✓
REC-26/150	100x26x1500	✓
REC-26/165	100x26x1650	✓
REC-26/200	100x26x2000	✓
REC-38/110	100x38x1100	✓
REC-38/130	100x38x1300	✓
REC-38/150	100x38x1500	✓
REC-38/165	100x38x1650	✓
REC-38/200	100x38x2000	✓

Thickness tolerance + - 0,3 mm


REC/A



BENDYWOOD® STRIPS JOINTED FLAT ALL WOODS – 100 mm in lengths up to 6.0 m

4-sides fine saw-cut

Bendable up to a radius of 1 : 20
i.e. a 20 mm thick strip can be bent up to a radius of 400 mm



Wood species: beech, ash, oak, maple, cherry, walnut

Raw bars with about 8% moisture content, for the purpose of profile milling.

Lengths: 200, 360, 500 and 600 cm

Heights: 20, 24, 30 and 50 mm


Code	Bendable to a radius of:	Beech	Beech for painting and dark staining	Ash Red Oak	Maple White Oak American Cherry	Walnut	American Walnut
		€/Mt.	€/Mt.	€/Mt.	€/Mt.	€/Mt.	€/Mt.
REC/A-100x20	1 : 20	✓	✓	✓	✓	✓	✓
REC/A-100x24	1 : 20	✓	✓	✓	✓	✓	✓
REC/A-100x30	1 : 20	✓	✓	✓	✓	✓	✓
REC/A-100x50	1 : 20	✓	✓	✓	✓	✓	✓

**For BENDING EDGES
in widths 20 mm, 24 mm, 30 mm and 50 mm**

**OPTION:
fine cut to thickness of your requirement**

Prices upon request


REC/B



BENDYWOOD® STRIPS JOINTED VERTICAL ALL WOODS – 100 mm in lengths up to 6.0 m

4-sides fine saw-cut

Bendable up to a radius of 1 : 20
i.e. a 20 mm thick strip can be bent up to a radius of 400 mm



Wood species: beech, ash, oak, maple, cherry, walnut

Raw bars with about 8% moisture content, for the purpose of profile milling.

Lengths: 200, 360, 500 and 600 cm

Thick: 20, 24, 30 and 50 mm

Code	Bendable to a radius of:	Beech	Beech for painting and dark staining	Ash	Maple	Walnut	American Walnut
		€/Mt.	€/Mt.	Red Oak Dark White Oak €/Mt.	White Oak American Cherry €/Mt.	€/Mt.	€/Mt.
REC/B-100x20	1 : 20	✓	✓	✓	✓	✓	✓
REC/B-100x24	1 : 20	✓	✓	✓	✓	✓	✓
REC/B-100x30	1 : 20	✓	✓	✓	✓	✓	✓
REC/B-100x50	1 : 20	✓	✓	✓	✓	✓	✓

**For BENDING EDGES
in widths from 51 mm up to 100 mm**


**OPTION:
fine cut to thickness of your requirement**

Prices upon request


BENDYWOOD® BASEBOARDS

SL BASEBOARDS

Bendable up to a radius of 1 : 10
i.e. a 10 mm thick baseboard up to a radius of 100 mm




Code	Size (mm) height x thickness x length	Beech €/m.	Oak €/m.	Ash €/m.
SL-10/110	60x10x1100	✓	✓	✓
SL-10/130	60x10x1300	✓	✓	✓
SL-10/150	60x10x1500	✓	✓	✓
SL-13/110	60x13x1100	✓	✓	-
SL-13/150	60x13x1500	✓	✓	-




Code	Size (mm) width x height x length	Oak €/m.	Ash €/m.
SL-14x10/110	10x14x1100	✓	✓
SL-14x10/150	10x14x1500	✓	✓

SM SCOTIA-MOULDINGS

Bendable up to a radius of 1 : 10
i.e. a 19 mm thick Scotia-moulding up to a radius of 190 mm



Code	Size (mm) width x height x length	Beech €/m.	Oak €/m.
SM-P/130	19x19x1300	✓	-






Code	Size (mm) width x height x length	Beech €/m.	Oak €/m.
SM-N/130	19x19x1300	✓	-

BENDYWOOD® PROFILES

P BEECH HALFROUND

Up to 150 cm: bendable up to a radius of 1 : 10

From 250 cm upwards: jointed in length - bendable up to a radius of 1 : 40

Code		Size (mm) width x height x length	Beech €/m.
P-106-A/110		6,5x3,5x1100	✓
P-106-A/150		6,5x3,5x1500	✓
P-6/110		8x4x1100	✓
P-6/150		8x4x1500	✓
P-48-A/110		12x6x1100	✓
P-48-A/150		12x6x1500	✓
P-51/110		15x7,5x1100	✓
P-51/150		15x7,5x1500	✓
P-8/110		20x8,5x1100	✓
P-8/150		20x8,5x1500	✓
P-9/110		25x11x1100	✓
P-9/150		25x11x1500	✓
P-10/110		30x17x1100	✓
P-10/150		30x17x1500	✓
P-11/110		30x13x1100	✓
P-11/150		30x13x1500	✓

12.. BENDYWOOD® BEECH CARVED MOULDINGS

Bendable up to a radius of 1 : 10

Code		Size (mm) height x thickness x length	Beech €/m.
1230/130		ca.25x12x1300	✓
1231/130		ca.13x9x1300	✓

PVR BENDYWOOD® BEECH DOWELS

(Ø5 up to Ø16 mm)




Bendable up to a radius of 1 : 10
i.e. a 5 mm thick dowel up to a radius of 50 mm

Code	Size (mm) diameter x length	Beech €/m.
PVR-5/100	Ø5x1000	✓
PVR-5/130	Ø5x1300	✓
PVR-7/100	Ø7x1000	✓
PVR-7/130	Ø7x1300	✓
PVR-8/100	Ø8x1000	✓
PVR-8/130	Ø8x1300	✓
PVR-10/100	Ø10x1000	✓
PVR-10/130	Ø10x1300	✓
PVR-12,5/100	Ø12,5x1000	✓
PVR-12,5/130	Ø12,5x1300	✓
PVR-14/100	Ø14x1000	✓
PVR-14/130	Ø14x1300	✓
PVR-16/100	Ø16x1000	✓
PVR-16/130	Ø16x1300	✓

INDEX

	PAGE
<u>WHAT IS BENDYWOOD ?</u>	2
<u>BENDYWOOD® BENT PARTS</u>	
Pre-bent handrails	3
Bendywood® - Custom - Applications	4
Short radius handrail parts made from Bendywood® lamellas	5
<u>SALES CONDITIONS</u>	6
<u>BENDYWOOD® BENDING HANDRAILS</u>	
Bendywood® round handrails with normal joints	7
Bendywood® round handrails with diagonal joints.....	9
Bendywood® square-edged raw bars with normal joints	8
Bendywood® square-edged raw bars with diagonal joints	10
Bendywood® Omega-handrails	11-12
Bendywood® Oval-handrails.....	13
<u>BENDYWOOD® RAW WOOD</u>	
BKH Half blanks 12x6 cm.....	14
BKG Large blanks 12x12 cm.....	14
REC Beech strips (100 mm wide to 2.0 m long)	15
REC A + B Strips jointed for bending edges	
100 mm wide in lengths up to 6 m in beech, ash, oak, maple, cherry and walnut	16-17
<u>BENDYWOOD® BASEBOARDS</u>	
SL Baseboards	18
SM Scotia-Mouldings	18
<u>BENDYWOOD® PROFILES</u>	
P Beech half-round	19
12.. Beech carved mouldings	19
PVR Beech dowels	20
<u>INDEX</u>	21



Bendywood® a product of Candidus Prugger Sas
Via Johann Kravogl 10 – 39042 Bressanone (BZ) – Italy
Tel: +39 0472 834530 – Fax: +39 0472 834134
bendywood@bendywood.com – www.bendywood.com